Classification of cells of incubated leucocytes Part I




FIG. 1a Amaebaid type



FIG. 1b Balloon type



FIG. 1c Un-changed type




FIG. 1d Carnival type




FIG. 1e Caterpillar type




FIG. 1f Caterpillar type



FIG. 1g Caterpillar type




FIG. 2a TLRC+pseud 0 time




FIG. 2b TLRC+pseud 24h




FIG. 2c MLRC+pseud 0 time



FIG. 2d MLRC+pseud 24h




FIG. 2e BLRC+pseud 0 time



FIG. 2f BLRC+pseud 24h

Incubated leucytes (il) and pseudomonas sp.





FIG. 3a
TLRC + pseud sp + il
0 time



FIG.~3b TLRC + pseud sp + il 39h



 $FIG. \ 3c$ $\text{MLRC} + \underset{0 \text{ time}}{\text{pseud sp + il}}$




FIG. 3d

MLRC + pseud sp + il
39h





FIG. 3e

BLRC + pseud sp + il
0 time



 $FIG. \ 3f$ BLRC + pseud sp + il 39h




FIG. 3g

TLRC + pseud + Ab 0 time




FIG. 3h

TLRC + pseud + Ab 28~28h




FIG. 3i
MLRC + pseud + Ab
0 time




FIG. 3j

MLRC + pseud + Ab 28~28h




FIG. 3k

BLRC + pseud + Ab 0 time





FIG. 31

BLRC + pseud + Ab 28~28h


0 Time



BLRC only


FIG. 4a

9 days inc.




Black shells and Black sesames

FIG. 4b




BLRC + healthy person's WC

FIG. 4c




Living BLRC

FIG. 4d




Newly discovered function of leucocyte

20 days incubation of fat tissue



Fat tissue only


FIG. 6a



Fat tissue + FWC(Frozen white blood cell)


FIG. 6b

20 days incubation of muscle tissue



Muscle tissue only

FIG. 6c




Muscle tissue + FWC(Frozen white blood cell)


FIG. 6d

Dialysis ULRBC and LLRBC (9,52y) in incubator <4 days after>

-ULRBC control FIG. 7a



+ healthy person's FWBC FIG. 7c



+ patient's LWBC FIG. 7e

-LLRBC-






FIG. 7b



+ healthy person's FWBC FIG. 7d




+ patient's LWBC FIG. 7f

C-hepatitis ULRBC and LLRBC (&,60y) in incubator


<5 days after>

-ULRBC-




+ healthy person's FWBC

FIG. 8a




+ patient's FWBC

FIG. 8b



+ healthy person's LWBC

FIG. 8c




+ patient's LWBC


FIG. 8d

Interaction between leucocyte and erythrocyte C-Hepatitis 5 days inc. WN 60 σ


TLRC




+ healthy person's FWC FIG. 9a



+ patient's FWC FIG. 9b




+ healthy person's LWC FIG. 9c




+ patient's LWC FIG. 9d

BLRC




+ healthy person's FWC FIG. 9e



+ patient's FWC FIG. 9f



+ healthy person's LWC FIG. 9g



+ patients LWC FIG. 9h





FIG. 10a control




FIG. 10e control

+ healthy person's FWC Black spot-FIG. 10 f


Interaction between the leucocyte and erythrocyte Auto-immunic hepatitis T.S 83 9 5 days inc.




+ healthy person's FWC Megalo WC+ FIG. 10b




+ healthy person's LWC
Megalo WCBlack spot+
FIG. 10c



+ healthy person's LWC Black spot-FIG. 10g



+ patient's LWC Megalo WC++ Black spot++



+ patient's LWC Black spot+ FIG. 10h